Wireless LAN

Manual for Setting Up KMUTT-Secure for Yosemite

- ➢ Steps for Setting Up KMUTT-Secure

- ➢ Observation: When the system is successfully connected.

- ➢ Removing the Configuration from the Device


- ➢ Steps for Setting Up KMUTT-Secure for macOS Yosemite

1.เลือก Network ที่มุมบนขวา จากนั้นเลือก Turn Wi-Fi On

2.Select the SSID: KMUTT-Secure

3. A window stating "The Wi-Fi Network requires WPA2 enterprise credentials." will appear as shown in the image.



4.Make the following adjustments

   Mode :   Automatic

   Username : username.xxx (Username, such as **username.sur** or **5xxxxxxxxxx,** must be specified clearly)

   Password : ******* (The user password must be entered correctly.)

5.Click the Join button to connect to the network.

➢ Observation: When the system is successfully connected.

    1.Select the Network icon in the top right corner.

    2.Observe the Wi-Fi Networks section, where the connection to the SSID: KMUTT-SecureN

appears as shown in the example image.

➢ Removing the Configuration from the Device

   1.Select Wi-Fi Networks in the top right corner, then choose Open Network Preferences…

2.The Network window will appear. Select Advanced....

3. In the Wi-Fi tab >> go to Preferred Networks.

In the Network Name list, select the SSID: KMUTT-Secure, then click the minus (-) sign to remove the configuration.

4.Click the OK button.